


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**


New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador  
 Nunavut Yukon Northwest Territories

Manufacturers Name: CIRCOR FLOW TECHNOLOGIES INDIA PVT. LTD.		
Manufacturers Address: SF No. 337/2, No.15 Naranapuram Village, Ponnandampalayam, Thennampalayam to Annur Road, Coimbatore, Tamil Nadu 641659, India.		
Plant Locations: SAME AS ABOVE		
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p align="center">- ASME B16.34</p>	
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  <p><b>LESLIE CONTROLS, INC.</b> A subsidiary of CIRCOR International, Inc.</p> </div>		<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>		

**Declaration:** I, ESAKKIMUTHU KANDHASAMY DEPUTY MANAGER - QUALITY (see note 3) employed by Circor Flow Technologies India PVT. LTD. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at CIRCOR FLOW TECHNOLOGIES INDIA (P) LTD  
 This 24 day of March AD 2021  
 Commissioner of Oaths [Signature]  
 Or Notary Public: (sign) [Signature]

**D. SRINIVASAN BSc B.A. BBA**  
**ADVOCATE & NOTARY PUBLIC**  
**(GOVT. OF INDIA)**



This space for Registrar's use only. This registration must be revalidated after 5 years from the date of issuance.

CRN: 0C7450.5 Add2  
 FID#: 16059  
 Add a new manufacturing location: scope for this location which includes 2-way rotary series (cont'd below)

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

(Laurence), 2 way Rotary reset (700, 700HP, 750, 11/2016 750HP, 800). CRN expires May 13th, 2026  
 DG

**PROVINCE OF PRINCE EDWARD ISLAND**  
**COMMUNITIES, LAND & ENVIRONMENT**  
 C.R.N. 0c7450.59 Add2  
 DATE: July 23/21  
**INSPECTION SERVICES SECTION**  
**BOILER/PRESSURE VESSEL BRANCH**




**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: CIRCOR FLOW TECHNOLOGIES INDIA PVT. LTD.	
Manufacturers Address: SF No. 337/2, No.15 Naranapuram Village, Ponnandampalayam, Thennampalayam to Annur Road, Coimbatore, Tamil Nadu 641659, India	
Plant Locations: SAME AS ABOVE	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p align="center">- ASME B16.34</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  <p><b>LESLIE</b> CONTROLS, INC. <small>A subsidiary of CIRCOR International, Inc.</small></p> </div>	<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p align="center">- VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:** DEPUTY MANAGER - QUALITY  
ESAKKIMUTHU KANDHASAMY (see note 3) employed by Circor Flow Technologies India PVT. LTD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_

Declared before me at CIRCOR FLOW TECHNOLOGIES INDIA (P) LTD


This 24 day of March AD 2021

Commissioner of Oaths \_\_\_\_\_

Or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

**D. SRINIVASAN BSc AL MBA**  
**ADVOCATE & NOTARY PUBLIC**  
 (GOVT. OF INDIA)




This space for Registrar's use only. This registration must be revalidated after 10 years from the date of acceptance.

CRN: OC7450.5 Add2  
 FID#: 16059

Add a new manufacturing location: scope for this location which includes 2-way rotary series (cont'd below)

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product
- Quality Control programs shall be resubmitted for validation.

(Laurence), 2 way Rotary reset (700, 700HP, 750, 11/2016 750HP, 800). CRN expires May 13th, 2026  
 DG




Date July 23/21  
 C.R.N. OC7450.58ADD0  
 Dwg. as described  
 Signed Yvonne Perry  
1 of 1  
 Part

Sect 1.0 - Fittings Rev.2




**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick      Nova Scotia      Prince Edward Island      Newfoundland and Labrador  
 Nunavut      Yukon      Northwest Territories

Manufacturers Name: CIRCOR FLOW TECHNOLOGIES INDIA PVT. LTD.	
Manufacturers Address: SF No. 337/2, No.15 Naranapuram Village, Ponnandampalayam, Thennampalayam to Annur Road, Coimbatore, Tamil Nadu 641659, India.	
Plant Locations: SAME AS ABOVE	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <b>C Valves: all line valves</b>                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">- ASME B16.34</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <div style="text-align: center;">  <p><b>LESLIE CONTROLS, INC.</b> A subsidiary of CIRCOR International, Inc.</p> </div>	
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:** DEPUTY MANAGER - QUALITY  
ESAKIMUTHU KANDHASAMY (see note 3) employed by Circor Flow Technologies India PVT. LTD. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at CIRCOR FLOW TECHNOLOGIES INDIA (P) LTD  
 This 24 day of March AD 2021  
 Commissioner of Oaths  
 Or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)




<p>CRN: <u>OC7450.5 Add2</u>                  FID#: <u>16059</u>                  Add a new manufacturing location: scope for this location which includes 2-way rotary series (cont'd below)</p> <p>Notes:                  1. All Fittings shall be registered in the name of the Manufacturer (below)                  2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.                  3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.                  4. Quality Control programs shall be resubmitted for validation.</p> <p>(Laurence), 2 way Rotary reset (700, 700HP, 750, 750HP, 800). CRN expires May 13th, 2026                  DG</p>	<p align="center">This space for Regulator Authority use. <b>REGISTRATION ONLY</b>                  This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p align="center">CELL: 905-748-7488      CRN: <u>OC7450.57 Add2</u></p> <p align="center"><u>[Signature]</u>  <b>CHIEF BOILER INSPECTOR</b>                  DATE <u>7/23/21</u></p> <p><input type="checkbox"/> BLRs      <input type="checkbox"/> PVs  <input checked="" type="checkbox"/> FITTINGS      <input type="checkbox"/> NUCLEAR COMPONENTS</p> <p align="right">Sect 1.0 - Fittings Rev.2</p>
---	--



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**


New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador  
 Nunavut Yukon Northwest Territories

Manufacturers Name: CIRCOR FLOW TECHNOLOGIES INDIA PVT. LTD.	
Manufacturers Address: SF No. 337/2, No.15 Naranapuram Village, Ponandampalayam, Thennampalayam to Annur Road, Coimbatore, Tamil Nadu 641659, India	
Plant Locations: SAME AS ABOVE	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">- ASME B16.34</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  <p><b>LESLIE</b> CONTROLS, INC. A subsidiary of CIRCOR International, Inc.</p> </div>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p align="center">- VALVES SCOPE OF CRN; DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:**  
 I ESAKKIMUTHU KANDHASAMY DEPUTY MANAGER - QUALITY (see note 3) employed by Circor Flow Technologies India PVT. LTD. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at CIRCOR FLOW TECHNOLOGIES INDIA (P) LTD  
 This 24 day of March AD 2021  
 Commissioner of Oaths [Signature]  
 Or Notary Public: (sign) [Signature]

**D. SRINIVASAN BSc B.A. BBA  
 ADVOCATE & NOTARY PUBLIC  
 (GOVT. OF INDIA)**



This registration must be revalidated after 12 months from the date of issuance.

CRN: 0C7450.5 Add2  
 FID#: 16059

Add a new manufacturing location: scope for this location which includes 2-way rotary series (cont'd below)

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

(Laurence), 2 way Rotary reset (700, 700HP, 750, 750HP, 800). CRN expires May 13th, 2026  
 DG

Newfoundland  
 Labrador  
 Service NL


Registered 0C7450.50600-2  
 Date 21/07/23  
 Engineering and Inspection Services  
 Registered by [Signature]

UNDER THE AUTHORITY OF THE  
 PUBLIC SAFETY ACT, 1992  
 THE BOILER, PRESSURE VESSEL AND  
 COMPRESSED GAS REGULATIONS



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador  
 Nunavut Yukon Northwest Territories


Manufacturers Name: CIRCOR FLOW TECHNOLOGIES INDIA PVT. LTD.	
Manufacturers Address: SF No. 337/2, No.15 Naranapuram Village, Ponnandampalayam, Thennampalayam to Annur Road, Coimbatore, Tamil Nadu 641659, India.	
Plant Locations: SAME AS ABOVE	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p align="center">- ASME B16.34</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center">  <b>LESLIE</b>  <b>CONTROLS, INC.</b>  <small>A subsidiary of CIRCOR International, Inc.</small> </p>	<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p align="center">- VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:**

I DEPUTY MANAGER - QUALITY  
ESAKKIMUTHU KANDHASAMY (see note 3) employed by Circor Flow Technologies India PVT. LTD. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at CIRCOR FLOW TECHNOLOGIES INDIA (P) LTD  
 This 24 day of March AD 2021  
 Commissioner of Oaths  
 Or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)

**D. SRINIVASAN BSc BL MBA**  
**ADVOCATE & NOTARY PUBLIC**  
 (GOVT. OF INDIA)




This space for Registrar's use only. This registration must be revalidated after 5 years from the date of registration.

CRN: 0C7450.5 Add2  
 FID#: 16059  
 Add a new manufacturing location: scope for this location which includes 2-way rotary series (cont'd below)

Notes:  
 1. All Fittings shall be registered in the name of the Manufacturer.  
 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality Control programs shall be resubmitted for validation.

(Laurence), 2 way Rotary reset (700, 700HP, 750, 11/2018 750HP, 800). CRN expires May 13th, 2026  
 DG

Sect 1.0 - Fittings Rev. 2






**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: CIRCOR FLOW TECHNOLOGIES INDIA PVT. LTD.	
Manufacturers Address: SF No. 337/2, No.15 Neransapuram Village, Ponnandampalayam, Thernampalayam to Annur Road, Coimbatore, Tamil Nadu 641559, India.	
Plant Locations: SAME AS ABOVE	
<p align="center"><u>Category of Fittings to be registered. Circle one Category only</u></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges; all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><u>Title of the Standard of Construction</u></p> <p align="center">- ASME B16.34</p>
<p><u>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</u></p> <div align="center">  <p><b>LESLIE</b> CONTROLS, INC. <small>A subsidiary of CIRCOR International, Inc.</small></p> </div>	<p align="center"><u>Type of Construction</u></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<p><u>List of supporting documentation and identification of the actual items to be registered:</u></p> <p>- VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:**

DEPUTY MANAGER - QUALITY  
 I, ESAKKIMUTHU KANDHASAMY (see note 3) employed by Circor Flow Technologies India PVT LTD. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at CIRCOR FLOW TECHNOLOGIES INDIA (P) LTD


This 24 day of March AD 2021

Commissioner of Oaths

Or Notary Public: (sign): [Signature]

[Signature] (Affix Official seal to the right)

**D. SRINIVASAN BSC IN MBA**  
**ADVOCATE & NOTARY PUBLIC**  
 (GOVT. OF INDIA)



This space for Registration Authority Use Only

This registration must be revalidated after 5 years.


CRN: 0C7450.5 Add2

FID#: 16059

Add a new manufacturing location: scope for this location which includes 2-way rotary series (cont'd below)

- As Fittings shall be registered in the name of the Manufacturer (below)
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

(Laurence), 2 way Rotary reset (700, 700HP, 750, 750HP, 800). CRN expires May 13th, 2026  
 DG



Northwest Territories  
 REGISTERED  
 UNDER THE AUTHORITY OF  
 THE BOILER AND PRESSURE  
 VESSEL ACT.  
 C.R.N. 0C7450.57 Add2  
 SIGNED: [Signature]  
 DATE July 27 2021




**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: CIRCOR FLOW TECHNOLOGIES INDIA PVT. LTD.	
Manufacturers Address: SF No. 3372, No.15 Narayanapuram Village, Ponnandampalayam, Thennampalayam to Annur Road, Coimbatore, Tamil Nadu 641659, India.	
Plant Locations: SAME AS ABOVE	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p align="center">- ASME B16.34</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  <p><b>LESLIE</b> CONTROLS, INC. <small>A subsidiary of CIRCOR International, Inc.</small></p> </div>	<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p align="center">- VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:**

DEPUTY MANAGER - QUALITY  
 | ESAKKMUTHU KANDHASAMY (see note 3) employed by Circor Flow Technologies India PVT. LTD. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at CIRCOR FLOW TECHNOLOGIES INDIA (P) LTD

This 24 day of March AD 2021

Commissioner of Oaths [Signature]

Or Notary Public: (sign) [Signature]

Use this space for the Official Seal

**D. SRINIVASAN BSC. B.A. MBA**  
**ADVOCATE & NOTARY PUBLIC**  
 (GOVT. OF INDIA)



<p>CRN: <u>0C7450.5 Add2</u></p> <p>FID# <u>16059</u></p> <p>Add a new manufacturing location: scope for this location which includes 2-way rotary series (cont'd below)</p> <p>1. All Fittings shall be registered in the name of the Manufacturer.</p> <p>2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</p> <p>3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product</p> <p>4. Quality Control programs shall be resubmitted for validation.</p> <p>(Laurence), 2 way Rotary reset (700, 700HP, 750, 750HP, 800). CRN expires May 13th, 2026</p> <p align="center">DG</p>	<p>This registration must be revalidated after <u>12</u> months</p> <p align="center"><b>REGISTERED</b></p> <p>CRN <u>0C7450.5 SN Add2</u></p> <p>Date <u>July 23, 2021</u></p> <p>Signed <u>[Signature]</u>                  Chief Inspector</p> <p align="center"><b>Territorial Registration Fee</b></p>
---	---